Sure Marine Service™

www.suremarineservice.com

Portable Refrigeration Catalog

Sure Marine Service, Inc.
5320 28th Ave. N.W.
Seattle, WA 98107
(800) 562-7797 (206) 784-9903

Shop Online:
www.suremarineservice.com

CAMCO

isotherm
Marine Refrigeration

Dometic

CAMCO

Sure Marine Service™
www.suremarineservice.com

LCD control panel

Smartphone compatible

Home & auto

R134a Refrigerant

Temperature range: 68°F to -4°F (20°C to -20°C)

Voltage DC 12/24V, AC 110-240V 45 WATTS

3 YEAR MANUFACTURER'S WARRANTY

REFRIGERATOR SIZES

Full temperature control from your smartphone.

Download the free app today!

RAPID COOLING
Down to -4°F (-20°C)

CAM-200

20L

CAM-300

30L

CAM-350

35L

CAM-450

45L

CAM-550

55L

CAM-950

DUAL ZONE TEMPERATURE CONTROL

95L

CAM-750

DUAL ZONE TEMPERATURE CONTROL

75L

www.SureMarineService.com
5320 28th Ave NW
Seattle, Wa 98107
(800)562-7797 (206)784-9903

CF Series Portable Refrigerators / Freezers

Optional Insulating Blanket Available for All CF Models

Refrigerate or Freeze to 0 degree F (-17 degree C)
Can be set to operate as a refrigerator or freezer.
Features:
* AC/DC or DC-only models.
* Seven sizes to choose from.
* Can operate as a refrigerator or freezer.
* Lightweight and easily portable.
* Battery monitor with low-voltage shut-off protects against a dead battery.
* Memory feature maintains presets if the system is turned off

CF-018DC Dometic 19 Quart DC Portable Refrigerator / Freezer

Model: CF-018DC
Refrigerator Gross Capacity: 19 Quarts (18 liters)
Voltage: 12/24V DC
Avg. Power Consumption: 35 watts (2.9 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet, weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 18"L x 16"H x 12"W (457mm x 406mm x 304mm)
Net Weight: 25 lbs (11.5 kg)

CF-025DC Dometic 24 Quart DC Portable Refrigerator / Freezer

Model: CF-025DC
Refrigerator Gross Capacity: 24 Quarts (23 liters)
Voltage: 12/24V DC
Avg. Power Consumption: 35 watts (2.9 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet, weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 21.7"L x 16.7"H x 10.2"W (551mm x 424mm x 259mm)
Net Weight: 27.5 lbs (12.5 kg)

CF-035AC110 Dometic 33 Quart AC/DC Portable Refrigerator / Freezer

Model: CF-035AC110
Refrigerator Gross Capacity: 33 Quarts (31 liters)
Voltage: 12/24V DC, 110 Volts AC
Avg. Power Consumption: 45 watts (3.75 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet, weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 22.8"L x 15.1"H x 14"W (579mm x 383mm x 355mm)
Net Weight: 33 lbs (14.96 kg)

***Also available in DC only**

CF-040AC110 Dometic 39 Quart AC/DC Portable Refrigerator / Freezer

Model: CF-040AC110
Refrigerator Gross Capacity: 39 Quarts (36 liters)
Voltage: 12/24V DC, 110 Volts AC
Avg. Power Consumption: 45 watts (3.75 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet, weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 22.8"L x 17.5"H x 14"W (579mm x 444mm x 355mm)
Net Weight: 37 lbs (14.96 kg)

© Sure Marine Service

CF-050AC110 Dometic 52 Quart AC/DC Portable Refrigerator / Freezer

Model: CF-050AC110
Refrigerator Gross Capacity: 52 Quarts (48 liters)
Voltage: 12/24V DC, 110 Volts AC
Avg. Power Consumption: 45 watts (3.75 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet,
weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 24.8"L x 19.4"H x 14"W (579mm x 444mm x 355mm)
Net Weight: 44 lbs (14.96 kg)

***Also available in DC only**

CF-080AC110 Dometic 85 Quart AC/DC Portable Refrigerator / Freezer

Model: CF-080AC110
Refrigerator Gross Capacity: 85 Quarts (79 liters)
Voltage: 12/24V DC Only
Avg. Power Consumption: 55 watts (4.5 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet,
weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 31"L x 18.1"H x 19.6"W (787mm x 459mm x 497mm)
Net Weight: 62 lbs (28.12 kg)

CF-110AC110 Dometic 113 Quart AC/DC Portable Refrigerator / Freezer

Model: CF-110AC110
Refrigerator Gross Capacity: 113 Quarts (106 liters)
Voltage: 12/24V DC Only
Avg. Power Consumption: 55 watts (4.5 amps)
Insulation: CFC-free polyurethane
Compressor: Danfoss BD35F
Refrigerant: Environmentally safe R-134A
Material: High Impact polypropylene cabinet,
weather resistant polyethylene lid
Color: Dark gray / pale gray

Cut-Out: 31"L x 22"H x 19.6"W (787mm x 558mm x 497mm)
Net Weight: 73 lbs (33.11 kg)

HZB-15S Dometic 33 lb. per Day Portable Ice Maker

Model: HZB-15S
Ice Maker Capacity:
Makes 33 lbs. every 24 hours (choice of 3 different sizes)
Holds 2.5 lbs. of ice in the removable basket
Voltage: 120V / 60 HZ
Avg. Power Consumption: 2.4 amps
Insulation: CFC-free polyurethane
Color: Stainless Steel Base, Black Lid
Display: LED Indicators and Touch Controls

Measurements: 17"L x 15"H x 17"W
Net Weight: 32 lbs (28.12 kg)

© Sure Marine Service

Isotherm Portable Travel Boxes

Refrigerator - Freezers

Your reliable partner for daily use and in extreme conditions!

No matter where you decide to travel, Isotherm Travel Boxes offer the right cooling solution for your needs. Thanks to the new **BD Micro Compressor,** the Travel Box 15 and 18 are very compact but perform extremely well in tropical conditions. The Travel Box 31, 41 and 51 are especially convenient for daily use thanks to their light and compact design. .

The entire range of Isotherm Travel Boxes have a dual-speed function and digital control of the compressor: MAX mode and ECO mode. In MAX mode, the compressor runs at high speed for fast cooling. In ECO mode, the compressor runs at slower speed for greater economy and energy efficiency.

- **Very light and compact design for outdoor conditions**
- **Use as fridge or freezer with operating temperatures from 50 °F to 0 °F**
- **Large capacities to store food and drinks - sizes from 15 to 51 liters (4 gal to 14.5 gal)**
- **Large units equipped with detachable, padded handles for easy transportation**
- **Reliability: Danfoss / Secop compressor and universal AC / DC electronic unit**
- **Easy to carry, adjustable shoulder straps for the TB 15 and TB 18**

ISOTHERM PORTABLE TRAVEL BOXES ARE IDEAL FOR MAXIMUM COOLING AND MINIMUM BATTERY CONSUMPTION!

Load up a day's supply of beverages, chill them down quickly on MAX mode, then move the Isotherm Travel Box into the car and plug it into your car's DC outlet. Carry the versatile Isotherm Travel Box Portable Refrigerator / Freezer to your boat, change to ECO mode for minimum battery usage, and let the adventure begin! After a day on the water of fishing and fun, load the filleted fish into the Isotherm Travel Box and set it to freeze. By the time you get home you'll have a supply of fish freshly frozen from the lake or ocean!

Model	Volume cubic feet	Dimensions H x W x D inches	Weight lbs	Power consumption* W/24 hours	Danfoss / Secop compressor type	Operating temperatures (°F)
TB 15 12/24 V DC	0.5 cf	14 x 9.2 x 22	18	155	BD 1.4F	50 to 0
TB 18 12/24 V DC	0.6 cf	16 x 9.2 x 22	19	160	BD 1.4F	50 to 0
TB 31 12/24 AC/DC	1.1 cf	15 x 14 x 23	31	220	BD35F	50 to 0
TB 41 12/24 AC/DC	1.4 cf	17.5 x 14 x 23	46	250	BD50F	50 to 0
TB 51 12/24 AC/DC	1.8 cf	20.9 x 13.8 x 23	46	240	BD35F	50 to 0

* Power consumption W / 24 Hours in operation on 12 Volt with +5 °C in the refrigeration space, ambient temperature +25 °C

© Sure Marine Service

Isotherm Portable Travel Boxes

Inimitable travel mates: TB 15 and 18

- Equipped with NEW **BD micro compressor**, the smallest and lightest DC unit on the market
- Very light and compact design, easy to carry (comes with shoulder strap - 19 lbs.)
- Internal LED light
- Electronic thermostat with easy to use display
- ECO function runs compressor at slow speed which saves battery
- MAX mode runs compressor at high speed for quick cooling
- Adjustable shoulder strap

TB 15 12/24 V DC



Isotherm Travel Box 15	
Model	TB 15 12/24 V DC
Volume	0.5 cf - 15 liter
Weight (lbs)	18
Temp Range	50 to 0° F

TB 18 12/24 V DC



Isotherm Travel Box 18	
Model	TB 18 12/24 V DC
Volume	0.6 cf - 18 liter
Weight (lbs)	19
Temp Range	50 to 0° F

www.SureMarineService.com
5320 28th Ave NW
Seattle, Wa 98107
(800)562-7797 (206)784-9903
© Sure Marine Service

Isotherm Portable Travel Boxes

Robust, reliable but also convenient: TB 31, 41 and 51

- Pull out inner basket for easy access (not on TB 31)
- Strong soft touch carrying handles (removable)
- Very light and compact dimensions
- Internal light
- Electronic thermostat control to maximize energy savings
- New sturdy injection molded lid with integrated closing system
- Possible use as a freezer (-18 °C) even in tropical conditions
- Electronic thermostat control

TB 3112/24 V DC



Isotherm Travel Box 31	
Model	TB 31 AC/DC
Volume	1.1 cf - 30 liter
Weight (lbs)	31
Temp Range	50 to 0° F
Internal Dimensions	290mm x 270mm x 315mm

TB 4112/24 V DC



Isotherm Travel Box 41	
Model	TB 41 AC/DC
Volume	1.4 cf - 40 liter
Weight (lbs)	46
Temp Range	50 to 0° F
Internal Dimensions	355mm x 270mm x 314mm

TB 5112/24 V DC



Isotherm Travel Box 51	
Model	TB 51 AC/DC
Volume	1.8 cf - 51 liter
Weight (lbs)	46
Temp Range	50 to 0° F
Internal Dimensions	440mm x 270mm x 315mm

Since 1972

Sure Marine Service, Inc.
5320 28th Ave. N.W.
Seattle, WA 98107
(800) 562-7797 (206) 784-9903

Shop Online:
www.suremarineservice.com